

FIG. 1A




FIG. 1B




FIG. 1C




FIG. 1D




FIG. 1E




FIG. 1F




FIG. 1G




FIG. 1H

FIG. 2A




FIG. 2C

FIG. 2E

FIG. 2D

FIG. 2F

FIG. 3A




FIG. 3E




FIG. 3F

FIG. 3G




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

Phosphorothioate derivatives



FIGURE 9

FIGURE 10

11/27


FIGURE 11

FIGURE 12**A**

1 2 3 4



total p53



cdk4



Actin


FIGURE 12-CONT.

FIGURE 12-CONT.

C






FIGURE 13**A****Diluent****T-oligo****Complement****B**



FIGURE 13-CONT.**C****Diluent****T-oligo****Complement****D**

FIGURE 13-CONT.**D****T****C**

pRb-ser780*

pRb-ser795*

pRb-ser807/811*

Actin



E

FIGURE 14**A**



24 hrs

48 hrs

Diluent



T-oligo



Control oligo






FIGURE 14-CONT.

FIGURE 14-CONT.

C





FIGURE 15**A****Diluent****T-oligo****Control oligo**


FIGURE 15-CONT.


FIGURE 16


FIGURE 17




FIGURE 18**A.****B.**

FIGURE 19**T-oligo, 11-2mer, or diluent treated cells: 72 hours post-transfection and 24 hours post treatment**

p95
phosphoserine 343



FIGURE 20